

Comment	Description	Designator	Footprint
JBK2A	Diode Bridge	BD1	BRIDGE
10p	Capacitor	C1	C-0805
105	Capacitor	C2	C-0805
104	Capacitor	C3, C34, C37, C38	C-0805
NC	Capacitor	C4	C-0805
105	CAP	C7, C10, C15	C1210
104	CAP	C8	C0805
CBB 400V/473	CAP	C13	C-L
102	Capacitor	C35	C-0805
105	Capacitor	C36	C0805
106/16V	Capacitor	C39	C-0805
103	Capacitor	C42, C46, C47, C48	C-0805
47p	Capacitor	C43	C-0805
47p	Capacitor	C44, C45	C0805
HX25060-B3P3-WSnBD-5		CN4	XH2.54-5-3P(空2、4针)
PX2.54-2		CN6	PX2.54-2
222/250VAC Y1		CY1	CY10
UF4007	Diode	D5, D6	SMA/DO-214ACAK
SB160	Diode	D7	SMA/DO-214ACAK
1N4148	Diode	D8	D1206
RS1J	Diode	D15, D16, D17	SMA/DO-214AC
68 μ F/400V		EC1	68U400V
22uF/25V		EC2	EC100-L
10UF/50V		EC3	EC100-L
1uF/50V		EC4	EC100-L
47UF/25V		EC5	EC100-L
250V/2A	Fuse	FUSE	F-10
CON		GND, LED_ACL, LED_ACN	AC-1.8K
SC1124	LNK304D/LNK562D	IC1	SO8
RT7100	RT7100_Socket	IC2	TSSOP28
24LC16BH(EEPROM)		IC3	SOT23-5
IRSM506		IC4	IRSM506-076
NC		IC5	SO8
LED		LED1	R-0805
共模电感 45mH 线径 $\geq 0.3\text{mm}$		LF1	L-40mH-GM
0.1uF/275V		MC1, MC2	CX10/15-L
5D-9		NTC	NTC
KRC101S NPN 内阻4.7K		Q1	Q-SOT23
1M/1206		R1, R2	RH1206
5.1K		R3	R-0805
10k 1%		R4	R-0805
6.8k 1%		R5	R-0805
2K/1206		R6	R-0805
1K/5%		R12	R-0805
33R		R13, R14	R-0805
4.7R/1206		R15	RH1206
0R5-2512		R30, R31, R34	R-2512
100R		R33, R35, R37, R39, R43, R44	R-0805
4K7		R38	R-0805
20K/1%		R42, R51	R0805
1M/1%		R49, R50, R54	R0805
20K/1%		R52	R-0805
1K/5%		R53, R55	R0805

30K/1%		R59	R0805
SJ-S-112DM		RY1	RELAY-SMALL
TR-10		TR1	TR-10
TVR10561		ZNR	ZNR-10D

LibRef	Quantity
BRIDGE1	1
CAP-CC(SMD)	1
CAP-CC(SMD)	1
CAP, CAP-CC(SMD)	4
CAP	1
CAP	3
CAP	1
CAP	1
CAP-CC(SMD)	1
CAP-CC(SMD)	1
CAP	1
CAP-CC(SMD)	4
CAP-CC(SMD)	1
CAP-CC(SMD)	2
CN3	1
CN2	1
CAP	1
DIODE	2
DIODE	1
DIODE	1
DIODE	3
CAE	1
CAE	1
CAE	1
CAE	1
CAE	1
FUSE1	1
CON	3
IC-LNK304D/LNK562D	1
RT7100_TSSOP28	1
24LC16BH	1
IRSM506-076	1
24LC16BHSOP8	1
LED	1
TRANS1	1
CAP	2
RES4	1
Q-NPN-R	1
R	2
R	1
R	1
R	1
R	1
RES(SMD)	1
RES1	2
RES(SMD)	1
R	3
R	6
RES1	1
RES1	2
RES2	3
RES1	1
RES(SMD)	2

RES2	1
RELAY	1
TR-10	1
ZNR	1